

# CABINET HARDWARE Listings

## Applicable to the *Architectural Woodwork Standards*



### 1. HINGES

#### Grade 1 (is requirement for use in schools and hospitals)

ATC Hardware Systems - 3264  
E.B. Bradley - EBB-1-26D-03, EBB-2-26D-03  
Grass - 961 (NP)\*, Atlas 9600 (NP, BK, BR)\*  
Hafele - AXIMAT 300 (344.06), 5K Advantage (354.65)  
Hardware Resources - HR0076  
Hettich - SELEKTA TOP 4000-180°, 4000-270° (NP)\* \*\*  
Pride Industrial, LLC - H760 (DCP), H764 (DCP)  
RPC - B-851, 374, 375, 376, 376SS, & 2107-180° (DCP, PC)\*  
Salice - CM Series  
Siquar USA - H0074-UC2-BNS-32mm  
Terry Hinge - H03-99, H08-99, & H08-9XG60 (3 knuckle, non-mortise) (DCP, PC)\*  
US Futaba - 25270-2 (PC)\*

\* Approved Finish: DCP = Dull Chrome Plated, NP = Nickle Plated, BK = Black, PC = Powder Coated, BR = Brass.

\*\* Only approved with adjustment tabs in place.

#### Grade 2

##### 120° - 125° Opening, Concealed (European Style)

ATC Hardware Systems - Innova AC556 Clip-on  
Blum - Clip 125, Inserta 125, Clip Top 120..  
Grass - 3803, 4803, 1006, 383 Snap-on.....  
Hafele - 329.03  
Hardware Resources - 500.OU84.05 Clip  
Hettich - 125 Euromat, 125 Intermat  
Ruca - C729 Clip  
Salice - 200/120, Repido 120  
Ultra Cabinet Hardware - H11212 (SC)

##### 165° - 170° Opening, Concealed (European Style)

ATC Hardware Systems - Innova AC558 Clip-on  
Blum - Clip 170, Inserta 170, Clip Top 170..  
Grass - 3903, 4903, 1203, 393 Snap-on.....  
Hafele - 329.07  
Hardware Resources - 500.0M73.05  
Hettich - 170 Euromat, 170 Intermat  
Salice - 200/165, Repido 165

##### 180° - 270° Opening, Semi-Concealed (European Style)

Salice - P Series

**NOTE:** [Click here for general information and disclaimer](#)



## 2. PULLS

### Hinged Door and Drawer

EPCO - BP010-SS, BP096-SS, BP128-SS, BP192-SS, BP256-SS, BP416-SS, BP480-SS,  
BP544-SS, BP640-SS, BP768-SS (all Bar Pulls 2" to 33")

Hafele - 116.39.455, 116.39.259

Hardware Resources - S271 (Wire), Key West (Bar)

RPC - P-604, P-605

Terry Hinge - KP3-41830, 41835, 41840, 41896

### Sliding Door

EPCO - WP-34, 35, 36...

K-V - 801, 806, 813

### Sliding Glass Door

EPCO - GP-17, 18, 19, 20...

## 3. CATCHES

### Elbow

EPCO - 1018B, 1018N...

Terry Hinge - M03-00038 & M03-99389

### Magnetic {indicates pull in lbs}

EPCO - 591<sup>{6.5}</sup>, 592<sup>{13}</sup>..

Terry Hinge - M03-03943<sup>{8}</sup>, 4<sup>{8}</sup> & 5<sup>{25}</sup>, M03-03950<sup>{?}</sup>..

### Touch Latch - Magnetic {indicates pull in lbs}

Terry Hinge - BOA-V6929<sup>{5}</sup>, BO1-V6931-Double<sup>{3}</sup>..

## 4. LOCKS

### Hinged Door

National Lock - C8102, 3, 6, 8, 9, C8173, 74, 75, C8183

Olympus - 100, 500, 700SC, 721

### Drawer

CompX National - C9000 Series, (SC Advantage)

National Lock - C8102, 3, 6, 8, 9, C8178 & 79, C8188

Olympus - 200, 600, 721, 800SC

### Sliding Door

EPCO - G-05C

National Lock - C8140, C8142, C8143

### Sliding Glass Door

EPCO - G-03C, 04C, 06C

K-V - 963

National Lock - C8140

(continued. . . .)

**NOTE:** [Click here for general information and disclaimer](#)



**5. DRAWER SLIDES**, The Institute requires a minimum weight capacity of 50 lbs @ Pencil drawers; 75 lbs @ General purpose drawers; 100 lbs @ File drawers; and 150 lbs @ Lateral file drawers wider than 24".

**A. BALL BEARING CONSTRUCTION** (Con = Concealed, DO = Detent Out, OT = Over Travel)

---

**3/4 Extension, rated 75 lbs at 22" in length**

Accuride - 2132, 2132 (DO)  
ATC Hardware - BD4300  
Fulterer - FR5005  
Hardware Resources - 5000 Series  
Hettich - 3432  
K-V - 8300, 8350

**Full Extension, rated 50 lbs at 22" in length**

Accuride - 2632 (65 lbs)

**Full Extension, rated 75 lbs at 22" in length**

Accuride - 3834 (90 lbs, OT)  
ATC Hardware - FX3055  
Fulterer - FR5036  
K-V - MuV (undermount)  
Pride Industrial, LLC - PI3600

**Full Extension, rated 100 lbs at 22" in length**

Accuride - 3017, 3132(EC or SC), 3732, 3832(SC or DO), 7432, 7434  
ATC Hardware - FX3855, FX4755-2G, BFC4022-2G, FX4655  
EB Bradley Co. - Bee Slide 4500 Series  
Fulterer - FR5000, FR5000.ECD, FR5043  
Hardware Resources - Precision 2000-301, 301FU, 303FU  
Hettich - 5632  
Highline Hardware - G-2629A, G-2629E(Soft Close)  
K-V - 8400, 8405, 8409, 8414, 8417, 8419, 8450(Soft Close), PBB-100  
Louis & Co. - WM1000  
Pride Industrial, LLC - PI4600, PI4800  
US Futaba - DS4632, DS4634 (1" OT), GS4070sc, NJ31732 (1-1/2" OT), Repon NJ 12000 (soft close)  
Woodworkers Hdwr & Supply - BB3200 (OT)

**Full Extension, rated 125 lbs at 22" in length**

ATC Hardware - FC4022-2G  
Hettich - 4932 (1.5"OT) / (130 lbs)

**Full Extension, rated 150 lbs at 22" in length**

Accuride - 4034 (OT), 9301 (w/ under mount use)  
Fulterer - FR5755 (1"OT)  
Hettich - 555 (1"OT)  
Pride Industrial, LLC - PI5000

**Full Extension, rated 175 lbs at 22" in length**

Accuride - 3640 (w/1" OT, 180lb), 3641 (w/1" OT, interlock, 180lb), 3642 (w/ 1" OT, interlock, companion slide)  
Accuride -  
Fulterer - FR5755

(continued. . . .)

**NOTE:** [Click here for general information and disclaimer](#)



## 5. DRAWER SLIDES - (continued)

### A. BALL BEARING CONSTRUCTION - (continued)

---

#### **Full Extension, rated 175 lbs at 22" in length - (continued)**

---

K-V - 8500, 8505 (w/1-1/2" OT)

US Futaba - DS3513 (progressive Extension)

Woodworkers Hdwe & Supply - BB4200 (OT)

#### **Full Extension, rated 200 lbs at 22" in length**

---

Hettich - 4620 (1.5"OT)

Fulterer - FR5210

Pride - 5890

#### **Full Extension, rated 225 lbs at 22" in length**

---

Fulterer - FR5302

#### **Full Extension, rated 400 lbs at 22" in length**

---

Accuride - 9031

### B. ROLLER BEARING CONSTRUCTION (con = concealed)

---

#### **3/4 Extension, rated 75 lbs at 22" in length**

---

Blum, Inc. - 230M, 230E, 262 Solo, 552 Tandem (con)

Fulterer - 1921

Salice America - 208 ADAR

Woodworkers Hdwe & Supply - BS70

#### **3/4 Extension, rated 100 lbs at 22" in length**

---

Fulterer - FR2021

Grass - 6610, 6650 (120lb rated)

Hafele - 423.37

Hardware Resources - 1400

#### **Full Extension, rated 75 lbs at 22" in length**

---

Blum, Inc. - 562 Tandem (con), 430E

Pride Industrial, LLC - PI8000 (con, soft close)

Salice America - 775 ADAR

#### **Full Extension, rated 100 lbs at 22" in length**

---

Blum, Inc. - 566 Tandem (con) & 568 Tandem Plus (con)

Grass - 3215

#### **Full Extension, rated 125 lbs at 22" in length**

---

Fulterer - FR6500

#### **Full Extension, rated 150 lbs at 22" in length**

---

No Current Listings

(continued. . . .)

**NOTE:** [Click here for general information and disclaimer](#)



## 5. DRAWER SLIDES - (continued)

### C. DRAWER & SLIDE SYSTEMS

---

---

#### **3/4 Extension, rated 75 lbs at 22in length**

Hardware Resources - 85000

#### **3/4 Extension, rated 100 lbs at 22" in length**

Blum, Inc. - 320 Metabox

Grass - 6036 Zargen

#### **3/4 Extension, rated 100 lbs at 22" in length**

Mepla/ Alfit - Integra AL9103

US Futaba - AS4021/550 Harn Impaz

#### **Full Extension, rated 75 lbs at 22" in length**

Blum, Inc. - 330 Metabox

Hardware Resources - USE 21 (undermount, with integrated soft close)

#### **Full Extension, rated 100 lbs at 22" in length**

Grass - 6036 w/ 6200

## 6. SPECIALTY SLIDES

#### **TV Slide, minimum 150 lb load rating at 18" in length unless otherwise noted**

Accuride - CB3620-258TV (225 lb., 14" ext.), CB9320-258TV

Fulterer - FR825 (175lb., 14-1/2" ext.)

Hettich - 1-022-508 (198 lb., 11-1/2" ext.)

#### **Keyboard Slide, variable height, minimum 75 lb load rating at 18" in length unless otherwise noted**

Accuride - 2109 (75 lb., detent in, detent out)

Fulterer - FR5060 & 5066

K-V - 8150 (3/4 extension, 75 lb.)

#### **Keyboard Tray System, minimum 75 lb load rating at 18" in length unless otherwise noted**

Accuride - 300 Tray (Full Extension, accessory tray, tilt plate)

K-V - Keynetics (Adjustable Keyboard / Tray System)

#### **Pencil Drawer Slide, variable height, minimum 75 lb load rating at 18" in length**

Accuride - 2109 (75 lb., detent in, detent out)

Fulterer - FR5162

K-V - 8250 (3/4 extension, 75 lb. @ 22")

## 7. FILE FOLLOWERS

#### **Card Size (5" x 3")**

K-V - 475

#### **Letter Size (11" x 8-1/2")**

K-V - 475, 476

(continued. . . .)

**NOTE:** [Click here for general information and disclaimer](#)



## 8. SHELF & COUNTER BRACKET (Adjustable for wall plumb)

K-V - 255 (steel or aluminum standard)

K-V - 256, 239 (clip)

Precision Works Products, Inc.

## 9. CABINET SHELF SUPPORTS (Adjustable, Pin Type)

Hafele - 282.04.702

Hardware Resources - 1306, 1545, 1707

Hettich - 1005-819, 1005-767 (seismic)

K-V - 345, 346

## 10. WALL SHELF STANDARD & BRACKETS (Adjustable Height)

K-V - 80, 82, 85, 87 (standards)

K-V - 180, 182, 185, 187 (brackets)

## 11. MIRRORS & ATTACHMENT CLIPS

May be used at # 501, 511, 512, 530-34, 724, 725 Design Series Cabinets 1/4" float w/ polished edges, unless framed

K-V - 5198 (clips)

## 12. HANGER RODS & FLANGES

May be used at # 640 Design Series Cabinets

EPCO - 870, 890, 895 (rod)

EPCO - 860, 850, 851, 861 (flange)

Hardware Resources - 111696CH (rod)

Hardware Resources - M-Series (flange)

K-V - 660, 770 (rod)

K-V - 734, 735, 757, 764, 766 (flange)

## 13. GARMENT HANGERS & HOOKS

### Single Arm Side Mount

K-V - 3-5"

### Extension Type

K-V - 723

### Garment Hooks

EPCO - CH101, CH105, CH201, CH202, CH301

## 14. SLIDING HANGERS

May be used at # 179 & 425 Design Series Cabinets

### Cup Rack

K-V - 791

### Towel Rack

K-V - 798

(continued. . . .)

**NOTE:** [Click here for general information and disclaimer](#)



## 15. BASE ADJUSTERS

Blum - 697200.7700

## 16. SLIDING DOOR TRACK

### Overhead Type

Hettich - 6005

K-V - 858

### 1/4" doors, non-glass

EPCO - 1, 3, 8

K-V - 2412, 2416

### 1/2" doors, non-glass

EPCO - 10A, 13

### 3/4" doors, non-glass

EPCO - 5, 2A, 11A

### Glass Doors

EPCO - 14A, 15A

K-V - 1092, P992 (ball bearing)

## 17. GLASS RETAINERS (Weight rating is per caster in hard rubber, options available include: rigid, swivel, hard or soft rubber, with or without brake)

May be used at # 651, 700, 702-4, 707, 710, 712, 714-16, 720-22, 724-26, 729-32, 734-39, 742-44, 746, 747, 750-55

### Design Series Cabinets

Wood - Custom Design

## 18. CASTERS (Weight rating is per caster in hard rubber, options available include: rigid, swivel, hard or soft rubber, with or without brake)

May be used at # 651, 700, 702-4, 707, 710, 712, 714-16, 720-22, 724-26, 729-32, 734-39, 742-44, 746, 747, 750-55

### Design Series Cabinets

No Current Listings

## 19. POCKET DOOR HARDWARE (Maximum door width 24", Maximum door height and weight as specified by manufacturer.)

Accuride - 123/1234 (42" maximum height, 30 lbs. maximum weight)

Accuride - 1332/1432 w/ cable (78" maximum height, 75 lbs. maximum weight)

Accuride - 1145 "Easy Down" Horizontal (30 lbs maximum door weight)

Accuride - ProPocket Full (3/4" overlay Flipper Door Slide)

ATC Hardware - PD8722 (25 lbs maximum door weight)

Hafele - XI408.24 (60" maximum height, 35 lbs. maximum weight)

Hafele - Hawa 407.70, 71, 72, 73 (110" maximum height, 88 lbs. maximum weight)

Hettich - DSB (40-1/4" maximum height, 30 lbs. maximum weight)

K-V - 8080PEZ (42" maximum height, 30 lbs. maximum weight)

(continued. . . .)

[NOTE: Click here for general information and disclaimer](#)

(Cabinet Hardware Listings Continued)



## 20.INSTALLATION SCREWS

Quick Screws - 8215, 8216, 8217, 11981, 11982, 2052, 11976

**NOTE:** [Click here for general information and disclaimer](#)

# AWS Cabinet Design Series

## Specialty Hardware



The following listings are provided as a guide for the convenience of our Design Series users and has not necessarily been verified as to conformance to ANSI /BHMA Grade 2 requirements.

(Heading references are to previous pages herein)

# 179 & 425 Design Series Cabinets

**SLIDING HANGERS** - See Heading #14

# 187 Design Series Cabinets

**SHELF**

Washington Products Inc., 1147 Oberlin Ave., S.W., Massillon, Ohio 44648 (213-837-5101), Product # M-15

# 196 & 197 Design Series Cabinets

**LAZY SUSAN SHELVES**

# 196 = Full round

# 197 = 3/4 circle, kidney shaped

# 198 & 199 Design Series Cabinets

**CERAMICS TRAY**

Custom fabrication: tray made from 1" x 1" steel angle with 3/4" diamond expanded metal bottom, 3/4" x 3/4" angle steel tray guides mounted above and below on each side. All metal to be fabricated with no sharp edges or points and powder coat finished after assembly.

# 198, 199, 459 Design Series Cabinets

**PAN, BOTTOM**

Custom sheet metal, 22 ga., 2" sides on three sides with 1/4 round front edge.

# 501, 511, 512, 530-34, 724, 725 Design Series Cabinets

**PIN TRAY**

Outwater Plastics Industries, Inc. 4720 West Van Buren, Phoenix, AZ 85043, Part #R11-87 MIRRORS & ATTACHMENT CLIPS  
See Heading #11

# 533, 534 Design Series Cabinets

**PAPER CUTTER - (24")**

Pacific Cutter Co., 3690 Santa Fe Ave., Los Angeles, CA 90058

# 640 Design Series Cabinets

**HANGER RODS & FLANGES** - See Heading #12

# 651, 700, 702-4, 707, 710, 712, 714-16, 720-22, 724-26, 729-32, 734-39, 742-44, 746, 747, 750-55 Design Series Cabinets

**CASTERS** - See Heading #18

# 742 Design Series Cabinets

**LABORATORY FITTINGS**

T & S Brass & Bronze Works, Westbury, Long Island, New York, Products: Hemispherical Chemical Lead Sink is a #BL- 7010-4, Rack is comprised of two each #BL-9005-1 Flush plate with crowned top, two each #BL-9000-1 tapered uprights, two each #BL-9000-10 Clamps, and one each #BL-9000-5 Cross Bar.

**SHELF BRACKET, FOLDING**

**Stanley # V772**

**SINK**

12" X 12" X 7-1/2" inside dimension, 18-8 Stainless Steel sink with center punched drain.

**NOTE:** [Click here for general information and disclaimer](#)